

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:

22-012539/D002.R000

Report Date:

10/27/2022

Purchase Order:

Received:

10/17/22 10:23 AM

**Customer:** 

Sancho Group Inc

1330 Specialty Dr

Vista 92081

United States of America (USA)

Sample ID:

2210-8A

Sample Matrix:

Kratom powder

Laboratory ID:

22-012539-0008-00

**Evidence of Cooling:** 

No

Temp:

20.3 °C

Relinquished by:

**UPS** 

## Sample Results

|                         |        |       | Metals  |          |                                    |       |
|-------------------------|--------|-------|---------|----------|------------------------------------|-------|
| Kratom Quality & Safety |        |       |         |          |                                    |       |
| Analyte                 | Result | Units | LOQ     | Analyzed | Method                             | Notes |
| Arsenic                 | 0.212  | mg/kg | 0.0148  | 10/21/22 | AOAC 2013.06 (mod.) <sup>p</sup> 1 |       |
| Cadmium                 | 0.0325 | mg/kg | 0.0148  | 10/20/22 | AOAC 2013.06 (mod.) <sup>b</sup> 1 |       |
| Lead                    | 0.733  | mg/kg | 0.0148  | 10/20/22 | AOAC 2013.06 (mod.) <sup>p</sup> 1 |       |
| Mercury                 | 0.0187 | mg/kg | 0.00740 | 10/20/22 | AOAC 2013.06 (mod.) <sup>5</sup> 1 |       |
| Nickel                  | 2.34   | mg/kg | 0.0148  | 10/20/22 | AOAC 2013.06 (mod.) <sup>b</sup> 1 |       |

<sup>1)</sup> trace metals in food by Inductively Coupled Mass Spectrometry

|                         |          |       | Microbio | logy     |                                      |       |
|-------------------------|----------|-------|----------|----------|--------------------------------------|-------|
| Kratom Quality & Safety |          |       |          |          |                                      |       |
| Analyte                 | Result   | Units | LOQ      | Analyzed | Method                               | Notes |
| E.coli                  | < LOQ    | cfu/g | 100      | 10/21/22 | AOAC 991.14 (Petrifilm) <sup>b</sup> |       |
| Total Coliforms         | 2,400    | cfu/g | 100      | 10/21/22 | AOAC 991.14 (Petrifilm) <sup>p</sup> |       |
| Enterobacteriaceae      | 2,300    | cfu/g | 100      | 10/20/22 | AOAC 2003.01 <sup>b</sup>            |       |
| Mold (RAPID Petrifilm)  | 14,000   | cfu/g | 1,000    | 10/22/22 | AOAC 2014.05 (RAPID) <sup>b</sup>    |       |
| Yeast (RAPID Petrifilm) | < LOQ    | cfu/g | 100      | 10/22/22 | AOAC 2014.05 (RAPID) <sup>b</sup>    |       |
| Salmonella spp. by PCR  | Negative | /25g  |          | 10/20/22 | AOAC 2020.02 <sup>5</sup> 2          |       |

<sup>2)</sup> GENE-UP® Assay

| Kratom Quality & Safety |        |       | Mitragyn | ine      |                             |       |
|-------------------------|--------|-------|----------|----------|-----------------------------|-------|
| Analyte                 | Result | Units | LOQ      | Analyzed | Method                      | Notes |
| 7-Hydroxymitragynine    | 0.0159 | %     | 0.0100   | 10/21/22 | In house method by HPLC-DAD |       |
| Mitragynine             | 1.44   | %     | 0.0500   | 10/21/22 | In house method by HPLC-DAD |       |